

## AMENDMENTS TO CLAIMS

Please amend Claims 1, 3, 5-7, 12, 14, 16, 18, 19, 21, 23-25, 30, 32, 34, and 36-42, as indicated hereinafter.

1     1.     (Currently Amended) A method for printing an electronic document, the  
2           method comprising:  
3           determining that a first paper source, a second paper source, and a third paper  
4           source at a printing device each currently has media available;  
5           selecting ~~[[a]]~~the first paper source for printing a first page range of one or  
6           more pages of said electronic document;  
7           selecting ~~[[a]]~~the second paper source for printing a second page range of  
8           one or more pages of said electronic document, wherein said second  
9           paper source is a paper source different from said first paper source  
10          and wherein said second page range is a page range different from  
11          said first page range;  
12          selecting ~~[[a]]~~the third paper source for printing a third page range of one or  
13          more pages of said electronic document, wherein said third paper  
14          source is a paper source different from said first paper source and  
15          different from said second paper source and wherein said third page  
16          range is a page range different from said first page range and  
17          different from said second page range; and  
18          transmitting, to ~~[[a]]~~the printing device, information that identifies said first,  
19          second and third paper sources for printing said first, second and third  
20          page ranges of one or more pages of said electronic document.

1     2.     (Original) The method as recited in Claim 1, further comprising the steps of:

2 receiving said information that identifies said first, second and third paper  
3 sources at said printing device; and  
4 generating at said printing device a printed copy of said electronic document  
5 that includes said first, second and third page ranges; wherein said  
6 first page range is printed on media from said first paper source, said  
7 second page range is printed on media from said second paper source,  
8 and said third page range is printed on media from said third paper  
9 source.

1 3. (Currently Amended) A method for printing an electronic document, the  
2 method comprising:  
3 determining that a first print characteristic and a second print characteristic  
4 are currently available for use at a printing device;  
5 selecting [[a]] the first print characteristic for printing a first page range of  
6 one or more pages of said electronic document;  
7 selecting [[a]] the second print characteristic for printing a second page range  
8 of one or more pages of said electronic document, wherein said  
9 second page range is a page range different from said first page  
10 range; and  
11 transmitting, to [[a]] the printing device, information that identifies said first  
12 and second print characteristics for printing said first and second page  
13 ranges of one or more pages of said electronic document.

1 4. (Original) The method as recited in Claim 3, further comprising the steps of:  
2 receiving at said printing device, said information that identifies said first  
3 and second print characteristics; and

4 generating at said printing device a printed copy of said electronic document  
5 that includes said first and second page ranges; wherein said first  
6 page range is printed using said first print characteristic[[s]] and said  
7 second page range is printed using said second print  
8 characteristic[[s]].

1 5. (Currently Amended) The method as recited in Claim 3, wherein:  
2 the step of selecting [[a]] the first print characteristic includes the step of  
3 selecting a first ink color for printing said first page range of one or  
4 more pages of said electronic document; and  
5 the step of selecting [[a]] the second print characteristic includes the step of  
6 selecting a second ink color for printing said first page range of one  
7 or more pages of said electronic document;  
8 wherein said first ink color and said second ink color are distinct ink colors.

1 6. (Currently Amended) The method as recited in Claim 3, wherein:  
2 the step of selecting [[a]] the first print characteristic includes the step of  
3 selecting a simplex mode for printing said first page range of one or  
4 more pages of said electronic document; and  
5 the step of selecting [[a]] the second print characteristic includes the step of  
6 selecting a duplex mode for printing said first page range of one or  
7 more pages of said electronic document.

1 7. (Currently Amended) A method for printing an electronic document, the  
2 method comprising:

3 displaying a user interface that identifies a set of one or more media types  
4 that are currently available to a printing device for printing pages of  
5 the electronic document;  
6 receiving input that selects a first media type from said set of one or more  
7 media types; and  
8 transmitting, to the printing device, a set of first print information that  
9 identifies said first media type for printing one or more pages of said  
10 electronic document.

1 8. (Original) The method as recited in Claim 7, further comprising the steps of:  
2 receiving said set of first print information that identifies said first media  
3 type at said printing device; and  
4 generating at said printing device, a printed copy of one or more pages of  
5 said electronic document using said first media type.

1 9. (Currently Amended) The method of Claim 7, wherein:  
2 the set of one or more media types includes a set of two or more media types  
3 that are available for printing pages of the electronic document; and  
4 the method further comprising the steps of,  
5 receiving input that selects a second media type from said set of two or more  
6 media types; and  
7 the step of transmitting further includes the step of transmitting to said  
8 printing device, a set of second print information that identifies said  
9 second media type for printing one or more pages of said electronic  
10 document.

1 10. (Original) The method as recited in Claim 9, further comprising the steps of:

2 receiving said set of second print information that identifies said second  
3 media type at said printing device; and  
4 generating at said printing device, a printed copy of one or more pages of  
5 said electronic document using said second media type.

1 11. (Original) The method of Claim 9, wherein the steps of transmitting said set  
2 of first and second print information includes the step of transmitting to said  
3 printing device, said set of first and second print information in a single print  
4 request.

1 12. (Currently Amended) A method for printing an electronic document, the  
2 method comprising:  
3 determining that a first media type and a second media type are currently  
4 available for use at a printing device;  
5 selecting [[a]] the first media type for printing a first page range of one or  
6 more pages of said electronic document;  
7 selecting [[a]] the second media type for printing a second page range of one  
8 or more pages of said electronic document, wherein said second page  
9 range is a page range different from said first page range; and  
10 transmitting, to [[a]] the printing device, information that identifies said first  
11 and second media types for printing said first and second page ranges  
12 of one or more pages of said electronic document.

1 13. (Original) The method as recited in Claim 12, further comprising the steps  
2 of:  
3 receiving said information that identifies said first and second media types at  
4 said printing device; and

5 generating at said printing device, a printed copy of said electronic document  
6 that includes said first and second page ranges; wherein said first  
7 page range is printed on media of said first media type and said  
8 second page range is printed on media of said second media type.

1 14. (Currently Amended) A method for printing an electronic document, the  
2 method comprising:  
3 transmitting to a printing device a request from a client for delivery of a set  
4 of print attributes that are currently available for printing said  
5 electronic document on said printing device;  
6 receiving user interface data that identifies the set of print attributes that are  
7 currently available for printing said electronic document on said  
8 printing device;  
9 receiving input that indicates a selection of one or more print attributes from  
10 said set of print attributes; and  
11 transmitting information identifying the selection of said one or more print  
12 attributes from said client to said printing device.

1 15. (Original) The method as recited in Claim 14, further comprising the steps  
2 of:  
3 receiving said information that identifies said one or more print attributes at  
4 said printing device; and  
5 generating at said printing device, a printed copy of said electronic document  
6 based on said information identifying said selection of said one or  
7 more print attributes.

1 16. (Currently Amended) A method for printing an electronic document on a  
2 printing device, the method comprising:  
3 receiving a request for delivery of a set of print attributes that are currently  
4 available for printing said electronic document on said printing  
5 device;  
6 generating user interface data that identifies the set of print attributes that are  
7 currently available for printing said electronic document on said  
8 printing device; and  
9 transmitting, to a client, said user interface data for displaying the set of print  
10 attributes that are currently available for printing said electronic  
11 document on said printing device.

1 17. (Currently Amended) The method as recited in Claim 16, further comprising  
2 the steps of:  
3 receiving print information that identifies at least one of said set of one or  
4 ~~more~~ print attributes; and  
5 generating at said printing device, a printed copy of one or more pages of  
6 said electronic document based on said print information.

1 18. (Currently Amended) The method as recited in Claim 16, further comprising  
2 the steps of:  
3 transmitting to said printing device a request from ~~[[a]]~~ the client for delivery  
4 of said set of print attributes that are currently available for printing  
5 said electronic document on said printing device;

6 receiving user interface data at said client that identifies the set of print  
7 attributes that are currently available for printing said electronic  
8 document on said printing device; and  
9 transmitting print information that identifies at least one of said set of said  
10 ~~one or more~~ print attributes.

1 19. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document, wherein  
3 execution of the one or more sequences of instructions by one or more  
4 processors causes the one or more processors to perform:  
5 determining that a first paper source, a second paper source, and a third paper  
6 source at a printing device each currently has media available;  
7 selecting ~~[[a]]~~ the first paper source for printing a first page range of one or  
8 more pages of said electronic document;  
9 selecting ~~[[a]]~~ the second paper source for printing a second page range of  
10 one or more pages of said electronic document, wherein said second  
11 paper source is a paper source different from said first paper source  
12 and wherein said second page range is a page range different from  
13 said first page range;  
14 selecting ~~[[a]]~~ the third paper source for printing a third page range of one or  
15 more pages of said electronic document, wherein said third paper  
16 source is a paper source different from said first paper source and  
17 different from said second paper source and wherein said third page  
18 range is a page range different from said first page range and  
19 different from said second page range; and



20 transmitting, to [[a]] the printing device, information that identifies said first,  
21 second and third paper sources for printing said first, second and third  
22 page ranges of one or more pages of said electronic document.

1 20. (Original) The computer-readable medium as recited in Claim 19, further  
2 comprising instructions for performing the steps of:  
3 receiving said information that identifies said first, second and third paper  
4 sources at said printing device; and  
5 generating at said printing device a printed copy of said electronic document  
6 that includes said first, second and third page ranges; wherein said  
7 first page range is printed on media from said first paper source, said  
8 second page range is printed on media from said second paper source,  
9 and said third page range is printed on media from said third paper  
10 source.

1 21. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document, wherein  
3 execution of the one or more sequences of instructions by one or more  
4 processors causes the one or more processors to perform:  
5 determining that a first print characteristic and a second print characteristic  
6 are currently available for use at a printing device;  
7 selecting [[a]] the first print characteristic for printing a first page range of  
8 one or more pages of said electronic document;  
9 selecting [[a]] the second print characteristic for printing a second page range  
10 of one or more pages of said electronic document, wherein said  
11 second page range is a page range different from said first page  
12 range; and

13 transmitting, to [[a]] the printing device, information that identifies said first  
14 and second print characteristics for printing said first and second page  
15 ranges of one or more pages of said electronic document.

1 22. (Original) The computer-readable medium as recited in Claim 21, further  
2 comprising instructions for performing the steps of:  
3 receiving at said printing device, said information that identifies said first  
4 and second print characteristics; and  
5 generating at said printing device a printed copy of said electronic document  
6 that includes said first and second page ranges; wherein said first  
7 page range is printed using said first print characteristics and said  
8 second page range is printed using said second print characteristics.

1 23. (Currently Amended) The computer-readable medium as recited in Claim 21,  
2 wherein:  
3 the step of selecting [[a]] the first print characteristic includes the step of  
4 selecting a first ink color for printing said first page range of one or  
5 more pages of said electronic document; and  
6 the step of selecting [[a]] the second print characteristic includes the step of  
7 selecting a second ink color for printing said first page range of one  
8 or more pages of said electronic document;  
9 wherein said first ink color and said second ink color are distinct ink colors.

1 24. (Currently Amended) The computer-readable medium as recited in Claim 21,  
2 wherein:

3 the step of selecting [[a]] the first print characteristic includes the step of  
4 selecting a simplex mode for printing said first page range of one or  
5 more pages of said electronic document; and  
6 the step of selecting [[a]] the second print characteristic includes the step of  
7 selecting a duplex mode for printing said first page range of one or  
8 more pages of said electronic document.

1 25. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document, wherein  
3 execution of the one or more sequences of instructions by one or more  
4 processors causes the one or more processors to perform:  
5 displaying a user interface that identifies a set of one or more media types  
6 that are currently available to a printing device for printing pages of  
7 the electronic document;  
8 receiving input that selects a first media type from said set of one or more  
9 media types; and  
10 transmitting, to the printing device, a set of first print information that  
11 identifies said first media type for printing one or more pages of said  
12 electronic document.

1 26. (Original) The computer-readable medium as recited in Claim 25, further  
2 comprising instructions for performing the steps of:  
3 receiving said set of first print information that identifies said first media  
4 type at said printing device; and  
5 generating at said printing device, a printed copy of one or more pages of  
6 said electronic document using said first media type.

1 27. (Currently Amended) The computer-readable medium of Claim 25, wherein:  
2 the set of one or more media types includes a set of two or more media types  
3 that are available for printing pages of the electronic document; and  
4 the computer-readable medium further comprising instructions for  
5 performing the steps of,  
6 receiving input that selects a second media type from said set of two or more  
7 media types; and  
8 the step of transmitting further includes the step of transmitting to said  
9 printing device, a set of second print information that identifies said  
10 second media type for printing one or more pages of said electronic  
11 document.

1 28. (Original) The computer-readable medium as recited in Claim 27, further  
2 comprising instructions for performing the steps of:  
3 receiving said set of second print information that identifies said second  
4 media type at said printing device; and  
5 generating at said printing device, a printed copy of one or more pages of  
6 said electronic document using said second media type.

1 29. (Original) The computer-readable medium of Claim 27, wherein the steps of  
2 transmitting said set of first and second print information includes the step of  
3 transmitting to said printing device, said set of first and second print  
4 information in a single print request.

1 30. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document, wherein

3 execution of the one or more sequences of instructions by one or more  
4 processors causes the one or more processors to perform:  
5 determining that a first media type and a second media type are currently  
6 available for use at a printing device;  
7 selecting [[a]] the first media type for printing a first page range of one or  
8 more pages of said electronic document;  
9 selecting [[a]] the second media type for printing a second page range of one  
10 or more pages of said electronic document, wherein said second page  
11 range is a page range different from said first page range; and  
12 transmitting, to [[a]] the printing device, information that identifies said first  
13 and second media types for printing said first and second page ranges  
14 of one or more pages of said electronic document.

1 31. (Original) The computer-readable medium as recited in Claim 30, further  
2 comprising instructions for performing the steps of:  
3 receiving said information that identifies said first and second media types at  
4 said printing device; and  
5 generating at said printing device, a printed copy of said electronic document  
6 that includes said first and second page ranges; wherein said first  
7 page range is printed on media of said first media type and said  
8 second page range is printed on media of said second media type.

1 32. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document, wherein  
3 execution of the one or more sequences of instructions by one or more  
4 processors causes the one or more processors to perform:

5 transmitting to a printing device a request from a client for delivery of a set  
6 of print attributes that are currently available for printing said  
7 electronic document on said printing device;  
8 receiving user interface data that identifies the set of print attributes that are  
9 currently available for printing said electronic document on said  
10 printing device;  
11 receiving input that indicates a selection of one or more print attributes from  
12 said set of print attributes; and  
13 transmitting information identifying the selection of said one or more print  
14 attributes from said client to said printing device.

1 33. (Original) The computer-readable medium as recited in Claim 32, further  
2 comprising instructions for performing the steps of:  
3 receiving said information that identifies said one or more print attributes at  
4 said printing device; and  
5 generating at said printing device, a printed copy of said electronic document  
6 based on said information identifying said selection of said one or  
7 more print attributes.

1 34. (Currently Amended) A computer-readable medium carrying one or more  
2 sequences of instructions for printing an electronic document on a printing  
3 device, wherein execution of the one or more sequences of instructions by  
4 one or more processors causes the one or more processors to perform:  
5 receiving a request for delivery of a set of print attributes that are currently  
6 available for printing said electronic document on said printing  
7 device;

8 generating user interface data that identifies the set of print attributes that are  
9 currently available for printing said electronic document on said  
10 printing device; and  
11 transmitting, to a client, said user interface data for displaying the set of print  
12 attributes that are currently available for printing said electronic  
13 document on said printing device.

1 35. (Original) The computer-readable medium as recited in Claim 34, further  
2 comprising instructions for performing the steps of:  
3 receiving print information that identifies at least one of said one or more  
4 print attributes; and  
5 generating at said printing device, a printed copy of one or more pages of  
6 said electronic document based on said print information.

1 36. (Currently Amended) The computer-readable medium as recited in Claim 34,  
2 further comprising instructions for performing the steps of:  
3 transmitting to said printing device a request from a client for delivery of  
4 said set of print attributes that are currently available for printing said  
5 electronic document on said printing device;  
6 receiving user interface data at said client that identifies the set of print  
7 attributes that are currently available for printing said electronic  
8 document on said printing device; and  
9 transmitting print information that identifies at least one of said set of said  
10 ~~one or more~~ print attributes.

1 37. (Currently Amended) A system for printing an electronic document,  
2 comprising:

3 one or more processors;  
4 one or more memories coupled to the one or more processors; and  
5 one or more sequences of instructions stored in the one or more memories,  
6 wherein execution of the one or more sequences of instructions by  
7 one or more processors causes the one or more processors to perform  
8 the steps of:  
9 determining that a first paper source, a second paper source, and a  
10 third paper source at a printing device each currently has  
11 media available;  
12 selecting [[a]] the first paper source for printing a first page range of  
13 one or more pages of said electronic document;  
14 selecting [[a]] the second paper source for printing a second page  
15 range of one or more pages of said electronic document,  
16 wherein said second paper source is a paper source different  
17 from said first paper source and wherein said second page  
18 range is a page range different from said first page range;  
19 selecting [[a]] the third paper source for printing a third page range of  
20 one or more pages of said electronic document, wherein said  
21 third paper source is a paper source different from said first  
22 paper source and different from said second paper source and  
23 wherein said third page range is a page range different from  
24 said first page range and different from said second page  
25 range; and  
26 transmitting, to [[a]] the printing device, information that identifies  
27 said first, second and third paper sources for printing said



28 first, second and third page ranges of one or more pages of  
29 said electronic document.

1 38. (Currently Amended) A system for printing an electronic document,  
2 comprising:  
3 one or more processors;  
4 one or more memories coupled to the one or more processors; and  
5 one or more sequences of instructions stored in the one or more memories,  
6 wherein execution of the one or more sequences of instructions by  
7 one or more processors causes the one or more processors to perform  
8 the steps of:  
9 determining that a first print characteristic and a second print  
10 characteristic are currently available for use at a printing  
11 device;  
12 selecting [[a]] the first print characteristic for printing a first page  
13 range of one or more pages of said electronic document;  
14 selecting [[a]] the second print characteristic for printing a second  
15 page range of one or more pages of said electronic document,  
16 wherein said second page range is a page range different from  
17 said first page range; and  
18 transmitting, to [[a]] the printing device, information that identifies  
19 said first and second print characteristics for printing said first  
20 and second page ranges of one or more pages of said  
21 electronic document.

1 39. (Currently Amended) A system for printing an electronic document,  
2 comprising:

3 one or more processors;  
4 one or more memories coupled to the one or more processors; and  
5 one or more sequences of instructions stored in the one or more memories,  
6 wherein execution of the one or more sequences of instructions by  
7 one or more processors causes the one or more processors to perform  
8 the steps of:  
9 displaying a user interface that identifies a set of one or more media  
10 types that are currently available to a printing device for  
11 printing pages of the electronic document;  
12 receiving input that selects a first media type from said set of one or  
13 more media types; and  
14 transmitting, to the printing device, a set of first print information that  
15 identifies said first media type for printing one or more pages  
16 of said electronic document.

1 40. (Currently Amended) A system for printing an electronic document,  
2 comprising:  
3 one or more processors;  
4 one or more memories coupled to the one or more processors; and  
5 one or more sequences of instructions stored in the one or more memories,  
6 wherein execution of the one or more sequences of instructions by  
7 one or more processors causes the one or more processors to perform  
8 the steps of:  
9 determining that a first media type and a second media type are  
10 currently available for use at a printing device;

11 selecting [[a]] the first media type for printing a first page range of  
12 one or more pages of said electronic document;  
13 selecting [[a]] the second media type for printing a second page range  
14 of one or more pages of said electronic document, wherein  
15 said second page range is a page range different from said  
16 first page range; and  
17 transmitting, to [[a]] the printing device, information that identifies  
18 said first and second media types for printing said first and  
19 second page ranges of one or more pages of said electronic  
20 document.

1 41. (Currently Amended) A system for printing an electronic document,  
2 comprising:  
3 one or more processors;  
4 one or more memories coupled to the one or more processors; and  
5 one or more sequences of instructions stored in the one or more memories,  
6 wherein execution of the one or more sequences of instructions by  
7 one or more processors causes the one or more processors to perform  
8 the steps of:  
9 transmitting to a printing device a request from a client for delivery  
10 of a set of print attributes that are currently available for  
11 printing said electronic document on said printing device;  
12 receiving user interface data that identifies the set of print attributes  
13 that are currently available for printing said electronic  
14 document on said printing device;

15 receiving input that indicates a selection of one or more print  
16 attributes from said set of print attributes; and  
17 transmitting information identifying the selection of said one or more  
18 print attributes from said client to said printing device.

1 42. (Currently Amended) A system for printing an electronic document, comprising:  
2 one or more processors;  
3 one or more memories coupled to the one or more processors; and  
4 one or more sequences of instructions stored in the one or more memories,  
5 wherein execution of the one or more sequences of instructions by one or  
6 more processors causes the one or more processors to perform the steps of:  
7 receiving a request for delivery of a set of print attributes that are currently  
8 available for printing said electronic document on said printing  
9 device;  
10 generating user interface data that identifies the set of print attributes that  
11 are currently available for printing said electronic document on  
12 said printing device; and  
13 transmitting, to a client, said user interface data for displaying the set of  
14 print attributes that are currently available for printing said  
15 electronic document on said printing device.